

पेटेंट कार्यालय  
शासकीय जर्नल

**OFFICIAL JOURNAL  
OF  
THE PATENT OFFICE**

---

---

निर्गमन सं. 16/2022  
ISSUE NO. 16/2022

शुक्रवार  
FRIDAY

दिनांक: 22/04/2022  
DATE: 22/04/2022

---

---

पेटेंट कार्यालय का एक प्रकाशन  
PUBLICATION OF THE PATENT OFFICE

(12) PATENT APPLICATION PUBLICATION  
 (19) INDIA  
 (22) Date of filing of Application :08/03/2022


(21) Application No.202221012628 A  
 (43) Publication Date : 22/04/2022

(54) Title of the invention : AN APPARATUS FOR MEASURING EXTRUDABILITY OF SEMISOLID FORMULATION

(51) International classification :E21B0041000000, B22D0017000000, G01N0003420000,  
 A61P0029000000, B33Y0030000000  
 (86) International Application No :NA  
 Filing Date :NA  
 (87) International Publication No :NA  
 (61) Patent of Addition to Application Number :NA  
 Filing Date :NA  
 (62) Divisional to Application Number :NA  
 Filing Date :NA

(71) Name of Applicant :  
**1)Dr. Vrunal Vishwasrao More**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Pharmacy, P. B. No. 54, Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra Country: India PIN-413304 -  
 -----  
**2)Dr. Babruvahan Pandurang Ronge**  
**3)Dr. Prajakta Kailas Khule**  
**4)Aarti Vinayak Mane**  
 Name of Applicant : NA  
 Address of Applicant : NA  
 (72) Name of Inventor :  
**1)Dr. Vrunal Vishwasrao More**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Pharmacy, P. B. No. 54, Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra Country: India PIN-413304 -  
 -----  
**2)Dr. Babruvahan Pandurang Ronge**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Engineering, P. B. No. 54, Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra Country: India PIN-413304 -  
 -----  
**3)Dr. Prajakta Kailas Khule**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Pharmacy, P. B. No. 54, Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra Country: India PIN-413304 -  
 -----  
**4)Dr. Prashant Maruti Pawar**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Engineering, P. B. No. 54, Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra -----  
**5)Dr. Nitia Dnyaneshwar Mhal**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Engineering (poly.), P. B. No. 54, 3 Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra Country: India PIN:413304 -----  
**6)Dr. Manoj Mukundrao Nitalikar**  
 Address of Applicant :Rajarambapu College of Pharmacy, Kasegaon, Taluka - Walwa, Dist., Sangli, State: Maharashtra Country: India PIN: 415409 -----  
**7)Aarti Vinayak Mane**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Pharmacy, P. B. No. 54, Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra Country: India PIN:413304 -  
 -----  
**8)Apoorva Sanjay Javanjal**  
 Address of Applicant :Shri Vitthal Education &Research Institute's College of Pharmacy, P. B. No. 54, Gopalpur - Ranjani Road, Gopalpur , Pandharpur Dist.Solapur State: Maharashtra Country: India PIN:413304 -  
 -----

(57) Abstract :  
 ABSTRACT AN APPARATUS FOR MEASURING EXTRUDABILITY OF SEMISOLID FORMULATION Aspects of present disclosure relate to an apparatus for characterizing mechanical property of a semisolid formulation, more specifically, it pertains to an apparatus for measuring the extrudability of a semisolid formulation. This apparatus works on a weight-based sensor connected to a plate collecting the semisolid formulations when squeezed out after applying a fixed force or weight. The sensor converts the input weight into an electrical output. An analogue to digital converter (ADC) turns the weight into digital signals that microcontrollers can readily interpret. The display module then indicates the volume of material extruded from the tube as well as the percentage of extrudability alongwith the LED indications. When the LED indicator is red, it implies that the extrudability fails to comply with acceptance limit range provided by pharmacopoeia and the alarm buzzer starts ringing.



No. of Pages : 21 No. of Claims : 9